



- NOTES:
1. CONCRETE: 5,000PSI MIN AFTER 28 DAYS.
 2. ALL REINFORCEMENT PER ASTM C1227-93.
 3. TEES AND GAS BAFFLE SOLD SEPARATELY.
 4. TONGUE & GROOVE JOINT SEALED WITH BUTYLE RESIN.
 5. 4" POLYLOK IV CLOSED END BOOTS USED FOR CONNECTIONS.
 6. PLASTIC RISER CAN BE POURED INTO COVER.

	PREPARED FOR: ANDREW J. FOSS CO. INC. 100 COCHECO ROAD FARMINGTON, NH 03835 PHONE(603)755-2515 FAX(603)278-7878															
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">REV.NO.</td> <td style="width: 33%;">DATE</td> <td style="width: 33%;">REVISION</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	REV.NO.	DATE	REVISION												
REV.NO.	DATE	REVISION														
PREPARED BY: DELTA ENGINEERS, ARCHITECTS, & LAND SURVEYORS 184 COURT STREET, BINGHAMTON, NY 13901 TEL: (607) 231-6600 FAX: (607) 231-6650	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">DATE: 9/16/09</td> <td style="width: 33%;">SHEET TITLE: SKETCH</td> <td style="width: 33%;">DRWN BY: GJP</td> </tr> <tr> <td>SCALE: N.T.S.</td> <td> </td> <td>CKD BY: KMK</td> </tr> <tr> <td colspan="3">PROJECT: 2000 GALLON TANK H-20</td> </tr> <tr> <td>CONTRACTOR:</td> <td>DWG. I.D. SK-01</td> <td> </td> </tr> <tr> <td>DELTA PROJ. NO.: 2009.367.001</td> <td>SHT. NO. 1 OF 1</td> <td> </td> </tr> </table>	DATE: 9/16/09	SHEET TITLE: SKETCH	DRWN BY: GJP	SCALE: N.T.S.		CKD BY: KMK	PROJECT: 2000 GALLON TANK H-20			CONTRACTOR:	DWG. I.D. SK-01		DELTA PROJ. NO.: 2009.367.001	SHT. NO. 1 OF 1	
DATE: 9/16/09	SHEET TITLE: SKETCH	DRWN BY: GJP														
SCALE: N.T.S.		CKD BY: KMK														
PROJECT: 2000 GALLON TANK H-20																
CONTRACTOR:	DWG. I.D. SK-01															
DELTA PROJ. NO.: 2009.367.001	SHT. NO. 1 OF 1															